

What is claimed is:

1. A detection method of omission-in-software-property-management using a network for
5 detecting a computer omitted from a software-property management which manages, for each computer, basic information thereof and installed software, and fix-patch application status, the method comprising the steps of:

performing a first step wherein a
10 network-connected-computer list which holds, for all computers connected to a given network, information for identifying each computer, and a software-property management list which holds, for all computers to be managed by said software-property management, information for identifying each computer, are used
15 as a basis on which a computer is extracted that is present in said network-connected-computer list and absent in said software-property management list; and

performing a second step wherein there is created a list of computer omitted in the software-property management.

20

2. The detection method according to claim 1, wherein
in the first step, said network-connected-computer list and said software-property management list are used as a basis on which
a computer is extracted that is present in said software-property
25 management list and absent in said network-connected-computer list, and

in the second step, there is created a list of computer in unused state.

30

3. A detection system for omission-in-software-property-management using a network for detecting a computer omitted from a software-property management

which manages, for each computer, basic information thereof and installed software, and fix-patch application status, comprising:

a network-connection management server including a network-connected-computer list which holds, for all computers connected to a given network, information for identifying each computer;

a software-property management server including a software-property management list which holds, for all computers to be managed by said software-property management, information for identifying each computer; and

an omission-in-software-property-management detection server which uses said network-connected-computer list and said software-property management list as a basis to extract a computer that is present in said network-connected-computer list and absent in said software-property management list, and to create a list of computer omitted in the software-property management.

4. The detection system according to claim 3, wherein said omission-in-software-property-management detection server uses said network-connected-computer list and said software-property management list as a basis to extract a computer that is present in said software-property management list and absent in said network-connected-computer list, and to create a list of computer in unused state.

5. The detection server for omission-in-software-property-management using a network for detecting a computer omitted from a software-property management which manages, for each computer, basic information thereof and installed software, and fix-patch application status, wherein a network-connected-computer list which holds, for all computers connected to a given network, information for

identifying each computer, is received from a network-connection-management server including said network-connected-computer list,

5 a software-property management list which holds, for all computers to be managed by said software-property management, information for identifying each computer, is received from a software-property management server including said software-property management list, and

10 said network-connected-computer list and said software-property management list are used as a basis on which a computer is extracted that is present in said network-connected-computer list and absent in said software-property management list, and there is created a list of computer omitted in the software-property management.

15

6. The detection server for omission-in-software-property-management using a network for detecting a computer omitted from a software-property management which manages, for each computer, basic information thereof and installed software, and fix-patch application status, comprising:

20 a network-connection management section for creating a network-connected-computer list which holds, for all computers connected to a given network, information for identifying each computer;

25 a software-property management section for creating a software-property management list which holds, for all computers to be managed by said software-property management, information for identifying each computer; and

30 an omission-in-software-property-management detection section which uses said network-connected-computer list input from said network-connection management section and said software-property management list input from said

software-property management section as a basis to extract a computer that is present in said network-connected-computer list and absent in said software-property management list, and to create a list of computer omitted in software-property management.

5

7. The detection server according to claim 5, wherein said server uses said network-connected-computer list and said software-property management list as a basis to extract a computer that is present in said software-property management list and absent in said network-connected-computer list, and to create a list of computer in unused state.

8. The detection server according to claim 6, wherein said omission-in-software-property-management detection section uses said network-connected-computer list and said software-property management list as a basis to extract a computer that is present in said software-property management list and absent in said network-connected-computer list, and to create a list of computer in unused state.

20

9. The detection server according to any of claims 5 to 8, wherein

said server sorts said network-connected-computer list and said software-property management list, and uses these sorted network-connected-computer list and software-property management list as a basis to create said list of a computer omitted in software-property management or said list of computer in unused state.

30

10. A detection program for omission-in-software-property-management using a network for detecting a computer omitted from a software-property management

which manages, for each computer, basic information thereof and installed software, and fix-patch application status, wherein an omission-in-software-property-management detection server is allowed to

5 receive a network-connected-computer list which holds, for all computers connected to a given network, information for identifying each computer, from a network-connection-management server including said network-connected-computer list,
 receive a software-property management list which holds,
10 for all computers to be managed by said software-property management, information for identifying each computer, from a software-property management server including said software-property management list, and
 use said network-connected-computer list and said
15 software-property management list as a basis to extract a computer that is present in said network-connected-computer list and absent in said software-property management list, and to create a list of computer omitted in the software-property management.

20 11. A detection program for omission-in-software-property-management using a network for detecting a computer omitted from software-property management which manages, for each computer, basic information thereof and installed software, and fix-patch application status, wherein
25 an omission-in-software-property-management detection server is allowed to
 create a network-connected-computer list which holds, for all computers connected to a given network, information for identifying each computer,
30 create a software-property management list which holds, for all computers to be managed by said software-property management, information for identifying each computer, and

use said network-connected-computer list and said software-property management list as a basis to extract a computer that is present in said network-connected-computer list and absent in said software-property management list, and to create a list of computer omitted in the software-property management.

12. The detection program according to claim 10 or 11, wherein

an omission-in-software-property-management detection server is allowed to use said network-connected-computer list and said software-property management list as a basis to extract a computer that is present in said software-property management list and absent in said network-connected-computer list, and to create a list of computer in unused state.

13. The detection program according to claim 10 or 11, wherein

an omission-in-software-property-management detection server is allowed to sort said network-connected-computer list and said software-property management list, and to use these sorted network-connected-computer list and software-property management list as a basis to create said list of a computer omitted in software-property management or said list of computer in unused state.